



HAL
open science

Groundwater modelling of a complex multilayer coastal aquifer under climate change in the framework of the DEM'EAUX ROUSSILLON project

Sandra Lanini, Ludovic Schorpp, Valentin Dall'Alba, Philippe Renard, Benoît Dewandel, Bernard Ladouche, Frédéric Bouchette, Yvan Caballero

► To cite this version:

Sandra Lanini, Ludovic Schorpp, Valentin Dall'Alba, Philippe Renard, Benoît Dewandel, et al.. Groundwater modelling of a complex multilayer coastal aquifer under climate change in the framework of the DEM'EAUX ROUSSILLON project. IAHS-AISH Scientific Assembly 2022, May 2022, Montpellier, France. hal-03530184

HAL Id: hal-03530184

<https://hal-brgm.archives-ouvertes.fr/hal-03530184>

Submitted on 17 Jan 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



IAHS2022-395

IAHS-AISH Scientific Assembly 2022

© Author(s) 2021. This work is distributed under the Creative Commons Attribution 4.0 License.



Groundwater modelling of a complex multilayer coastal aquifer under climate change in the framework of the DEM'EAUX ROUSSILLON project.

Sandra Lanini¹, Ludovic Schorpp², Valentin Dall'Alba², Philippe Renard², Benoît Dewandel¹, Bernard Ladouche¹, Frédéric Bouchette³, and Yvan Caballero¹

¹BRGM, UMR G-EAU, Univ Montpellier, Montpellier, France

²CHYN, Univ Neuchâtel, Neuchâtel, Switzerland

³GEOSCIENCES-M & GLADYS, Univ Montpellier, CNRS, Montpellier, France

The Plio-Quaternary aquifer of the Roussillon plain (multilayer aquifer of more than 350 m thick, made up of sandy layers embedded in low-permeability clay material from the Pliocene and topped by alluvial formations from the Quaternary) was extensively studied in the framework of the Dem'Eaux Roussillon project. Relying on a conceptual model of the whole groundwater system describing the main factors controlling the hydraulic behaviour of groundwater flow (recharge areas, surface-groundwater interactions, sea water intrusion risk,...) of Quaternary and Pliocene aquifers, a numerical modelling exercise of both onshore and offshore reservoirs was performed.

Two parallel modelling approaches sharing a common description of the reservoir geometries, the boundary conditions and the pumping withdrawals locations were carried out, using two (not so) different modelling tools. Results comparison illustrates the uncertainty associated to numerical methods and calibration strategies applied for each modelling tool. Climate change projections were used to explore the future evolution of the groundwater resource and results of both modelling tools were compared. An analytical formulation of the increase of the hydraulic head of the sea due to swell and waves close to the coastline was provided. The analysis of its influence on the groundwater dynamics simulated by the models highlights the potential influence of storms and future sea level rise on the risk of saline intrusions for coastal sedimentary aquifers along the Mediterranean basin.